

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16176	(server or gateway) with network with configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:31
L2	471	L1 and ((server or gateway) with subscriber with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:31
L3	359	L2 and ((server or gateway) with (interface or list or convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:31
L4	141	l3 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:32
S1	4432	convert\$3 with (message or data) with (language or xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 15:35
S2	188	convert\$3 with (message or data) with (language or xml) same (mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 15:35
S3	67	(convert\$3 with (message or data) with (language or xml) same (mobile or wireless)) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:41
S4	21	((convert\$3 with (message or data) with (language or xml) same (mobile or wireless)) and @ad<"20010212") and private	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 08:45
S5	14	((convert\$3 with (message or data) with (language or xml) same (mobile or wireless)) and @ad<"20010212") and (email or mail) with convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:38

S6	2900	((709/246) or (709/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/28 09:38
S7	195	(((709/246) or (709/206)).CCLS.) and (convert\$3 with (language or xml))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:41
S8	45	(((709/246) or (709/206)).CCLS.) and ((convert\$3 with (language or xml)) same (email or mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:44
S9	18	(((709/246) or (709/206)).CCLS.) and ((convert\$3 with (language or xml)) same (email or mail))) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:44
S10	25	(((709/246) or (709/206)).CCLS.) and ((convert\$3 with (language or xml)) same (mobile or wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 09:44
S11	8	(((709/246) or (709/206)).CCLS.) and ((convert\$3 with (language or xml)) same (mobile or wireless))) and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:18
S12	3	(network near10 configuration) same (subscriber near10 configuration) same (list near10 interfaces)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:19
S13	0	S12 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:19
S14	9	server same (network near10 configuration) same (subscriber near10 configuration) same list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:14

S15	3	S14 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:14
S16	20	(network near10 configuration) same (subscriber near10 configuration) same list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:22
S17	11	S16 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:22
S18	4	S17 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:51
S19	1119	server same (list near5 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:51
S20	88	server same (list near5 interface) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:51
S21	38	S20 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:51
S22	134	server same (network near10 configuration) same (subscriber near10 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:44
S23	57	S22 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:25

S24	25	server same (request\$4 near10 network near10 configur\$5) same (request\$4 near10 subscriber near10 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:26
S25	5	S24 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:22
S26	2258	(455/466,554.1,554.2,426.1). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 14:22
S27	14709	S26 and (external same internal) or (convert\$4 near5 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:24
S28	456	S26 and ((external same internal) or (convert\$4 near5 message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:25
S29	97	S26 and (((external same internal) or (convert\$4 near5 message)) same (server or isp or provider))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:53
S30	30	S29 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:54
S31	22	("5956652").URPN.	USPAT	OR	ON	2005/06/09 14:50
S32	28	S26 and (((external same internal) or (convert\$4 near5 message)) same private)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:54

S33	20	S32 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:54
S34	14	S33 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:46
S35	7275	server near10 request\$4 near10 (configur\$5 or subscriber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:27
S36	16176	(server or gateway) with network with configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:45
S37	471	S36 and ((server or gateway) with subscriber with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:45
S38	345	S37 and ((server or gateway) with (interface or list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:30
S39	140	S38 and @ad<"20010212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 08:32